



APP Control
Tuya Smart



APP Control
Smart Life



New version

1080P camera, 1-3M, 120° view

Indoor unit (Size: 112×89×25mm)

4"color display, 5000mAh Battery

Model: PST-DB06T



Old version

1080P camera, 1-3M, 120° view

Indoor unit (Size: 136×95×20mm)

4"color display, 5000mAh Battery

Model: PST-DB06U



Remote monitoring



Video call



View visit



Motion detection



HD night vision



Powered by
tuya
Intelligence
Inside

Free APP Remotely Control

Smart cat's eye is also monitoring, anytime, anywhere,
turn on the mobile phone, instantly check the status of the door.



WORKS WITH
Smart Life



WORKS WITH
Tuya Smart

1080P camera, 120° View angle, 1-3M HD night vision



Day effect




Night vision

Support Motion Detection

Equipped with an intelligent human body sensor, it can automatically monitor the situation in front of the door for 24 hours, capture videos in time, and intelligently push abnormal information.



24-hour smart guard
Online guarding all day



TuyaSmart APP

9:30 AM

You have an infrared alarm message!

Two Way Audio

See visitors clearly
Make communication easier



Okay, right away!

Hello, please take delivery



Hello, please take delivery

WiFi Connection Monitoring

Remote Call | Video | No worry about going out




24h

MONITORING

Keep your home safe
and rest assured

Convenient and Easy Installation

Zinc alloy cat head outside the door (also called the handset)
Precision fitting the door, double screw fixing, anti-pry, anti-peeping,
protect your home, and protect yourself



Built-in 5000mAh Lithium Battery



One fully charged, battery can work **1–2** months based on **10–20** events per day.

5000mAh

Installation Steps

Step 1




Select a screw that fits the thickness of the door and insert the bolt Machine

Step 2



Pass the cable through the peephole outside the door

Step 3



After straightening out the lines as shown in the figure; Thread the screw through Hang plate

Step 4




Tighten the fixed screws in sequence

Step 5



Buckle the doorbell wire in the correct direction

Step 6



Install the doorbell host on the hanging plate